



LGSETA
CREATING GREATER IMPACT

47 van Buuren Road, Bedfordview 2007 P O Box 1964, Bedfordview 2008
Telephone 011-456-8579 Facsimile 011-450-4948 Email info@lgseta.org.za Website www.lgseta.org.za

ADDENDUM

LOCAL GOVERNMENT EDUCATION AND TRAINING AUTHORITY

Tender No *LGSETA/DISASTER RECOVERY/2017*

PROVISION OF DISASTER RECOVERY SERVICES

PROCUREMENT DOCUMENT

February 2017

Issued by:

Local Government Sector Education and Training
Authority (LGSETA)

Submission address:

1st Floor

47 Van Buuren Road

Bedfordview

2007

Closing date: 08 March 2017 **Closing time:** 12:00

Item	Description
1.	<p><u>Query</u></p> <p>How do you know that you are registered / CSD report?</p> <p><u>Response</u></p> <p>After registration a CSD report will be accessible to be printed with unique supplier number/reference</p>
2	<p><u>Query</u></p> <ul style="list-style-type: none"> • What is the version of Veeam software? <p><u>Response</u></p> <p>The Veeam Software version is 9.0</p> <p><u>Query</u></p> <ul style="list-style-type: none"> • How many physical servers and sockets? <p><u>Response</u></p> <p>LGSETA has four (4) physical servers, 9 Virtual Servers and 8 CPU Sockets.</p> <p><u>Query</u></p> <ul style="list-style-type: none"> • Who will be paying the network links between LGSETA and (Disaster Recovery) DR? <p><u>Response</u></p> <p>The service provider will have to provide links as part of solutions.</p> <p><u>Query</u></p> <ul style="list-style-type: none"> • How big the company data to be replicated to DR? <p><u>Response</u></p> <p>The maximum data is 10 TB</p> <p><u>Query</u></p> <p>How much link size or speed is required from LGSETA to the DR site?</p> <p><u>Response</u></p> <p>Minimum size is 5 Mbps for replication and increased to 15 Mbps or more in the event of a disaster to cater for users.</p> <p><u>Query</u></p> <ul style="list-style-type: none"> • Is price the most important aspect? <p><u>Response</u></p> <p>We are currently utilising two (2) enveloped system, first envelope (Functionality and scope/proposal) and second envelope (Pricing). Proposals will be evaluated first on functionality and LGSETA will only open second envelope of the bidders who reached minimum points of 70 points. Price will be the last thing to look in the evaluation.</p>

	<p><u>Query</u></p> <p>Does LGSETA require physical structure or site and what is the distance between DR and LGSETA site.</p> <p><u>Response</u></p> <p>Physical structure will be required and the distance between DR site & LGSETA should be as per industry norms and standards</p> <p><u>Query</u></p> <p>How long do you want to keep the data?</p> <p><u>Response</u></p> <p>The data must be kept for the duration of the contract.</p> <p><u>Query</u></p> <p>Is the LGSETA Exchange hosted external?</p> <p><u>Response</u></p> <p>LGSETA Exchange is hosted internal but might be move to the cloud in the near future.</p> <p style="text-align: center;">○</p>
--	--

Addendum received by the Bidder and the contents thereof included in the Tender

Signature(s)

Name(s)

Date

Capacity

(Name of organization)

“Please include a signed copy of the Addendum with the Bid Submission”